
Guess paper Annual 2022



Key to Success

AL QADIR

AL QADIR



صرونہ بہندرہ دن کے اندر بورڈ امتحان کی مکسل تیاری کریں

Mathematics

آب فیل ہونا بھول جائیں۔ For Inter Part -I

المتحان ميں 4 گریڈی %100 گارنی

⇔ بیپر Setter کے ذہن کو مد نظر ر کھ کر تیار کیے گئے سوالات

ہ یادر تھیں! اب وقت انہائی کم رہ گیاہے۔

مرف پندرہ دن کے اندر بورڈ امتحان کی ممل تیاری کریں

القريد چناح سائنس اگيدي کا 19024741124


QUESTION NO. 2

- 1) Prove the rules of addition. $\frac{a}{c} + \frac{b}{c} = \frac{a+b}{c}$
- 2) Prove the rules of addition. $\frac{a}{b} + \frac{c}{d} = \frac{ad+bc}{bd}$
- 3) Prove that $-\frac{7}{12} \frac{5}{18} = \frac{21 10}{36}$
- 4) Find the sum, difference and product of the complex numbers (8,9) and (5,-6)
- 5) Simplify: $(-1)^{\frac{-21}{2}}$
- 6) Simplify (2,6)(3,7)
- 7) Simplify $(2,6) \div (3,7)$ Hint: $\frac{(2,6)}{(3,7)} = \frac{2+6i}{3+7i} \times \frac{3-7i}{3-7i}$ etc.
- 8) Simplify $(5, -4) \div (-3, -8)$
- 9) Find the multiplicative inverse of the numbers: (-4,7)
- 10) Find the multiplicative inverse of the numbers: $(\sqrt{2}, -\sqrt{5})$
- 11) Factorize: $9a^2 + 16b^2$
- 12) Factorize: $3x^2 + 3y^2$
- 13) Separate into real and imaginary parts (write as a simple complex number) $\frac{2-7i}{4+5i}$
- 14) Find the multiplicative Inverse of each of the numbers. (1,2)
- 15) Prove that $\bar{z} = z$ if z is real.
- 16) Simplify by expressing in the from a + bi $(2 + \sqrt{-3})(3 + \sqrt{-3})$
- 17) Show that $\forall z \in C$. $z^2 + \bar{z}^2$ is a real number
- 18) Show that $\forall z \in C$. $(z \bar{z})^2$ is a real number
- 19) Simplify: $\left(-\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)^3$
- 20) Find moduli of the complex numbers: $1 i\sqrt{3}$
- 21) Write two proper subsets of the set: $\{a, b, c\}$
- 22) Write down the power set of the each of the sets: $\{+, -, \div, \times\}$
- 23) Write the converse, inverse and contrapositive of the conditionals: $\sim p \rightarrow q$
- 24) Find x and y if $\begin{bmatrix} x+3 \\ -3 \end{bmatrix}$ $\begin{bmatrix} y \\ 1 \\ -3 \end{bmatrix}$ $\begin{bmatrix} y \\ 2x \end{bmatrix}$
- 25) |xiv) |f A = $\begin{bmatrix} 1 & 2 \\ a & b \end{bmatrix}$ and $A^2 = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$, find the values of a and b.
- 26) if A and B are square matrices of the same order, then explain why in general: $(A + B)(A B) \neq A^2$ B^2
- 27) solve the equation $\begin{vmatrix} 5 & -2 & -4 \\ 3 & -1 & -3 \\ -2 & 1 & 2 \end{vmatrix}$
- 28) without expansion show that $\begin{bmatrix} 6 & 7 & 8 \\ 3 & 4 & 5 \\ 2 & 3 & 4 \end{bmatrix} = 0$
- 29) Without expansion show that $\begin{vmatrix} 1 & 1 & 1 \\ x & y & z \\ yz & zx & xy \end{vmatrix} = \begin{vmatrix} 1 & 1 & 1 \\ x & y & z \\ x^2 & y^2 & z^2 \end{vmatrix}$

Al-Qadir Jinnah Science Academy Mallian Kalan

30) Show that
$$\begin{vmatrix} 1 & a^2 & \frac{a}{bc} \\ 1 & b^2 & \frac{b}{ca} \\ 1 & c^2 & \frac{c}{ab} \end{vmatrix} = 0$$

31) Without expansion verify that
$$\begin{vmatrix} 1 & a^2 & \frac{a}{bc} \\ 1 & b^2 & \frac{b}{ca} \end{vmatrix}$$



- 33) Salve the equation by factorization: $\frac{a}{ax-1} + \frac{b}{bx-1} = a + b$; $x \neq \frac{1}{a}, \frac{a}{b}$
- 34) Show that: $x^3 y^3 = (x y)(x \omega y)(x \omega^2 y)$
- 35) Evaluate: $(1 + \omega \omega^2)(1 \omega + \omega^2)$
- 36) Evaluate: $(1 + \omega \omega^2)^8$
- 37) Evaluate: $(-1 + \sqrt{-3})^5 + (-1 \sqrt{3})^5$
- 38) Solve the equations: $2x^4 32 = 0$
- 39) Salve the equations: $x^3 + x^2 + x + 1 = 0$
- 40) Use the factors theorem to determine if the first polynomial is a factor of the second polynomial. $\omega + 2,2\omega^3 + \omega^2 4\omega + 7$
- 41) Find four fourth roots of 16
- 42) If w is a cube root of unity, form an equation whose roots are 2ω and $2\omega^2$
- 43) Find roots of the equation by using quadratic formula: $15x^2 + 2ax a^2 = 0$ $\frac{1}{a^2} + \frac{1}{\beta^2}$
- 44) If α , β are the raots of $3x^2 2x + 4 = 0$, find the values of $\frac{\alpha}{\beta} + \frac{\beta}{\alpha}$
- 45) If α , β are the raots of $3x^2 2x + 4 = 0$, find the values of $\alpha^2 \beta^2$
- 46) if a, β are the roots of $x^2 px p c = 0$, prove that $(1 + d)(1 + \beta) = 1 c$
- 47) if α, β are the roots of the equation $\alpha x^2 + bx + c = 0$, from the equation whose raots are. α^2, β^2
- 48) If α , β are the raots of the equation $ax^2 + bx + c = 0$, fram the equation whose r0ots are. $\alpha + \frac{1}{\alpha}$, $\beta + \frac{1}{\beta}$
- 49) Discuss the nature of the raots of the equation. $x^2 5x + 6 = 0$
- 50) Discuss the nature of the roots of the equation. $25x^2 30x + 9 = 0$ $x^2 2\left(m + \frac{1}{m}\right)x + 3$; $m \neq 0$
- 51) Show that the roots of the equation will be rational: $(p+q)x^2 px q = 0$
- 52) Find two consecutive numbers, whose product is 132. (Hint: Suppose the numbers are x and x+1)
- 53) Use synthetic division to find the quotient and the remainder when the polynomial $x^4 10x^2 2x + 4$ is divided by x + 3
- 54) Discuss the nature of the raots of the equations: $2x^2 + 5x 1 = 0$
- 55) Which of the following sets have closure property w.r.t addition and multiplication ? (i) $\{0, -1\}$ (ii) $\{1, -1\}$
- 56) Theorems: $\forall z, z_1, z_2 \in Cz\bar{z} = |z|^2$
- 57) Theorems $\forall z, z_1, z_2 \in C\left(\frac{z_1}{z_2}\right) = \frac{\overline{z_1}}{\overline{z_2}}$
- 58) Find the power set $\{\{a, b\}, \{b, c\}, \{d, e\}.$
- 59) Reversal law of inverse if a, b are elements of group G, then show that $(ab)^{-1}b^{-1}a^{-1}$

Al-Qadir Jinnah Science Academy Mallian Kalan

- 60) Find x and y if $\begin{bmatrix} x+3 & 1 \\ -3 & 3y-4 \end{bmatrix} = \begin{bmatrix} y & 1 \\ -3 & 2x \end{bmatrix}$
- 61) Solve the equation $x^{\frac{1}{2}} x^{\frac{1}{4}} 6 = 0$
- 62) Solve the equation $x^{\frac{1}{5}} + 8 = 6x^{\frac{1}{5}}$
- Prove Three Cube Roots of Unity .
- 64) The Sum of all the three cube roots of unity is zero. i.e., $1 + \omega + \omega^2 = 0$

QUESTION NO. 5

- Resolve the following into Partial Fraction: $\frac{6x^3+5x^2-7}{2x^2-x-1}$ 65)
- Resolve the Partial Fraction: $\frac{9}{(x+2)^2(x-1)^2}$ 66)
- Resolve, $\frac{7x+25}{(x+3)(x+4)}$ into Partial Fractions. 67)
- Write the first four terms of the sequences, if $a_n = (-1)^n (2n 3)$
- 69) Write the first four terms of the sequences, if $a_n = na_{n-1}$, $a_1 = 1$
- 70) Find the indicated term of the sequence: $1-3.5, -7.9, -11, \dots a_8$
- 71) Find the 13 th term of the sequence x, 1,2 -x, 3 -2x,
- 72) Which term of the A.P. -2,4,10, ... is 148?
- Resolve the Partial Fraction: $\frac{x^2}{(x-2)(x-1)^2}$ 73)
- Resolve, $\frac{x^2+x-1}{(x+2)^3}$ into Partial Fractions.
- 75) Write the first four terms of the sequences, if $a_n = (-1)^n n^2$ 76) Write the first four terms of the sequences, if $a_n = \frac{n}{2n+1}$
- Write the first four terms of the sequences, if $a_n a_{n-1} = n + 2$, $a_1 = 2$ 77)
- If $a_{n-3} = 3n 5$, find the nth term of the sequence. 78)
- Which term of the A.P. 5,2,-1,... is -85? 79)
- How many terms are there in the A.P. in which $a_1 = 11$, $a_n = 68$, d = 3? 80)
- If the nth term of the A.P. is 3n 1, find the A.P.
- xxvii) If $\frac{1}{a}$, $\frac{1}{b}$ and $\frac{1}{c}$ are in A.P., show that $b = \frac{2ac}{a+c}$
- Sum the series $\frac{3}{\sqrt{2}} + 2\sqrt{2} + \frac{5}{\sqrt{2}} + \cdots + a_{13}$
- Sum the series $1+4-7+10+13-16+1922-25+\cdots$ to 3 n terms
- Find the 11 th term of the sequence, 1+i, 2, $\frac{4}{1+i}$
- Find G.M. between -2 and 8 86)
- For what value of n, $\frac{a^n+b^n}{a^{n-1}+b^{n-1}}$ is the positive geometric mean between a and b
- Find the 9th term of the harmonic sequence $\frac{-1}{5}$, $\frac{-1}{2}$, -1, ...
- 89) Iv) If 5 is the harmonic mean between 2 and b, findxxvi) Find the nth term of the sequence, $\left(\frac{4}{3}\right)^2$, $\left(\frac{7}{3}\right)^2$
- Find $A \cdot M$. between x 3 and x + 5

Al-Qadir Jinnah Science Academy Mallian Kalan

- 91) Find three A. Ms between 3 and 11.
- 92) Sum the series $1.11 + 1.41 + 1.71 + \dots + a_{10}$
- 93) How many terms of the series $-7 + (-5) + (-3) + \cdots$ amount to 65?
- 94) Find the 12 th term of 1 + I, 2i, -2 + 2i, ...
- 95) Find G.M. between −2i and 8i
- 96) Insert two G.Ms. between 1 and 16
- 97) Find the 9th term of the harmonic sequence $\frac{1}{3}$, $\frac{1}{5}$, $\frac{1}{7}$, ...
- 98) The first term of an H.P. is $-\frac{1}{3}$ and the fifth term is $\frac{1}{5}$. Find its 9th term.
- 99) If A, G and h are the arithmetic, geometric and harmonic means between a and b respectively, show that $G^2 = AH$
- 100) Find A, G, H and show that $G^2 = A \cdot H$. if (i) a = -2, b = 8 (ii) $a \neq 2i$, $b \neq 4i$ (iii) a = 9, b = 4
- 101) Find the sequence if $a_n a_{n-1} = n + 1$ and $a_4 = 14$
- 102) If $a_{n-2} = 3n 11$, find the nth term of the sequence.
- 103) Find the sum of the infinite G.P. 2, $\sqrt{2}$, 1, ...
- 104) Write in the factorial form: n(n-1)(n-2)...(n-r+1)
- 105) Write in the factorial form: $\frac{(n+1)(n)(n-1)}{3 \cdot 2 \cdot 1}$
- 106) Find the value of n when: ${}^{n}P_{2} = 30$,
- 107) Find the value of *n* when: ${}^{n}P_{4}$: $n^{-1}P_{3} = 9$: 1
- 108) How many arrangements of the letters of the words, taken all together, can be made: i) PAKPATTAN ii) PAKISTAN
- 109) In how many ways can 4 keys be arranged on a circular key ring?
- 110) Find A, G, H and verify that A > G > H (G > 0 , if (i) a = 2, b = 8 (ii) $a = \frac{2}{5}, b = \frac{8}{5}$
- 111) Find the number of terms in the A.P. if: $a_1 = 3$, d = 47 and $a_n = 59$
- 112) Find three A.Ms between $\sqrt{2}$ and $3\sqrt{2}$.
- 113) Find the nth and 8 th terms of H.P.; $\frac{1}{2}$, $\frac{1}{5}$, $\frac{1}{8}$,
- 114) Evaluate: $\frac{4!2!}{15!(15-15)}$
- 115) Write in the factorial form: (n+2)(n+1)(n)
- 116) Find the value of *n* when: ${}^{11}P_n = 11.10.9$
- 117) How many signals can be given by 5 flags of different colours, using 3 flags at a time?
- 118) How many arrangements of the letters of the words, taken all together, can be made: i) MATHEMATICS ii) ASSASSINATION
- 119) How many nacklaces can be made from 6 beads of different colours?
- 120) Evaluate: nC4
- 121) Find the value of n, when ${}^{n}C_{10} = \frac{12 \times 11}{21}$
- 122) Find the value of n and r, when ${}^{n}C_{r}=35$ and ${}^{n}P_{r}=210$
- 123) Experiment: A die is rolled. The top shows Events Happening: (i) 3 or 4 dots (ii) dots less than 5.
- 124) Two dice are thrown. What is the probability that the sum of the number of dots appearing on them is 4 or 6?
- 125) If ${}^{n}C_{8} = {}^{n}C_{12}$, find n.
- 126) A die is rolled. What is the probability that the dots on the top greater than 4?
- 127) Using the binomial theorem expand: $(a + 2 b)^5$
- 128) Find the value of n, when ${}^{\rm n}{\rm C}_5={}^{\rm n}{\rm C}_4$

Al-Qadir Jinnah Science Academy Mallian Kalan

- 129) Find the value of n, when ${}^{n}C_{12} = {}^{n}C_{6}$
- 130) What is the probability that a slip of numbers divisible by 4 is picked from the slips bearing number 1,2,3, ...,10?
- 131) Using binomial theorem, find the values to three places of decimals $\sqrt{99}$
- 132) Evaluate $\sqrt[8]{30}$ correct to three places of decimal.
- 133) If $y = 1. +2x + 4x^2 + 8x^3 + \cdots$ Show that $x = \frac{y-1}{2y}$
- 134) Expand up to four terms taking the values of x such that the expansion in each is valid. $(1-x)^{\frac{1}{2}}$
- 135) Using binomial theorem, find the values to three places of decimals $(1.03)^{\frac{1}{2}}$
- 136) If a, b, c, d are in G.P, prove that $a^2 b^2$, $b^2 c^2$, $c^2 d^2$ are in G.P.

QUESTION NO. 4

- 137) Express the sexagesimal measures of angles in redians: 75°6′30′′
- 138) Convert the following radian measures of angles into the measures of sexagesimal system: $\frac{2\pi}{3}$
- 139) Find I, when: $\theta = 65^{\circ}20'$, r = 18 mm
- 140) Verify: $\sin^2 \frac{\pi}{6}$: $\sin^2 \frac{\pi}{4}$: $\sin^2 \frac{\pi}{3}$: $\sin^2 \frac{\pi}{2}$ = 1: 2: 3: 4.
- 141) What is the circular measure of the angle between the hands of a watch at 4 O'clock?
- 142) Find I, when: $\theta = \pi$ radians, r = 6 cm
- 143) Find r, when: I = 5 cm, $\theta = \frac{1}{2}$ radian
- 144) Verify: $60\cos 30^{\circ} \cos 60^{\circ} \sin 30^{\circ} = \sin 30^{\circ}$
- 145) Verify: $\sin^2 \frac{\pi}{6} : \sin^2 \frac{\pi}{3} : \tan^2 \frac{\pi}{4} = 2xxiii)$ Verify: $2\sin 45^\circ + \frac{1}{2} \csc 45^\circ = \frac{3}{\sqrt{2}}$
- 146) Evaluate: $\frac{1-\tan^2\frac{\pi}{3}}{1+\tan^2\frac{\pi}{2}}$
- 147) Verify the following when $\theta = 30^{\circ}, 45^{\circ}$ $\cos 2\theta = 2\cos^2 \theta 1$
- 148) Prove the following identities, state the domain of θ in each case: $\sec^2 \theta \csc^2 \theta = \tan^2 \theta \cot^2 \theta$
- 149) Prove the following identities, state the domain of θ in each case: $(\sec \theta + \tan \theta)(\sec \theta \tan \theta) = 1$
- 150) Prove the following identities, state the domain of θ in each case: $\cos^2 \theta \sin^2 \theta = \frac{1 \tan^2 \theta}{1 + \tan^2 \theta}$
- 151) Prove the following identities, state the domain of θ in each case: $\frac{\sin \theta}{1+\cos \theta} + \cot \theta = \csc \theta$
- 152) Prove the following identities, state the domain of θ in each case: $\frac{\cot^2 \theta 1}{1 + \cot^2 \theta} = 2\cos^2 \theta 1$
- 153) xlvii) Prove that $\cos^2 \theta \sin^4 \theta = \cos^2 \theta \sin^2 \theta$,
- 154) Verify the following when $\theta = 30^{\circ}, 45^{\circ} \sin 2\theta = 2\sin \theta \cos \theta$
- 155) Find x, if $\tan^2 45^\circ \cos^2 60^\circ = x \sin 45^\circ \cos 45_0 \tan 60^\circ$
- 156) Prove the following identities, state the domain of θ in each case: $\frac{\cos \theta \sin \theta}{\cos \theta + \sin \theta} = \frac{\cot \theta 1}{\cot \theta + 1}$
- 157) Prove the following identities, state the domain of θ in each case: $\frac{1+\cos\theta}{1+\cos\theta} = (\csc\theta + \cot\theta)^2$
- 158) Prove that: $\sqrt{\frac{1-\sin\theta}{1+\sin\theta}} = \sec\theta \tan\theta$, where
- 159) Show that: $\cot^4 \theta + \cot^2 \theta = \csc^4 \theta \csc^2 \theta$ where θ is not an integral multiple of $\frac{\pi}{2}$

Al-Qadir Jinnah Science Academy Mallian Kalan

- 160) Prove: $\sin 780^{\circ} \sin 480^{\circ} + \cos 120^{\circ} \sin 30^{\circ} = \frac{1}{2}$
- 161) Prove that: $tan(45^{\circ} + A)tan(45^{\circ} + A) = 1$
- 162) Prove that: $\frac{1-\tan\theta\tan\emptyset}{1+\tan\theta\tan\emptyset} = \frac{\cos(\theta+\emptyset)}{\cos(\theta-\emptyset)}$
- 163) Prove that: $\frac{\cos 8^{\circ} \sin 8^{\circ}}{\cos 8^{\circ} + \sin 8^{\circ}} = \tan 37^{\circ}$
- 164) Prove the identities: $\cot \alpha \tan \alpha = 2\cot 2\alpha$
- 165) Prove the identities: $1 + \tan \alpha \tan 2\alpha = \sec 2\alpha$
- 166) Express the products as sums or differences: $2\sin 3\theta\cos\theta$
- 167) Prove: $\sin(180^{\circ} + \alpha)\sin(90 \alpha) = -\sin\alpha\cos\alpha$
- 168) If α , β , γ are the angles of a triangle ABC, then prove that: $\cos(\alpha + \beta) = \cos \gamma$
- 169) Find the values: $\sin 105^\circ$ Ixviii) Prove that: $\cos(\alpha + 45^\circ) = \frac{1}{\sqrt{2}}(\cos \alpha \sin \alpha)$
- 170) Prove that: $\sin\left(\theta + \frac{\pi}{6}\right) + \cos\left(\theta + \frac{\pi}{3}\right) = \cos \theta$
- 171) Show that: $\cot(\alpha + \beta) = \frac{\cot \alpha \cot \beta 1}{\cot \alpha + \cot \beta}$
- 172) Find the values of $\sin 2\alpha$, $\cos 2\alpha$ and $\tan 2\alpha$, when: $\cos \alpha = \frac{3}{2}$, where $0 < \alpha < \frac{\pi}{2}$
- 173) Prove the identities: $\frac{\sin 2\alpha}{1+\cos 2\alpha} = \tan \alpha$
- 174) Prove the identities: $\frac{2\sin\theta\sin2\theta}{\cos\theta+\cos3\theta} = \tan2\theta\tan\theta$
- 175) Express the sums or differences as products: $\sin(x + 30^\circ) + \sin(x 30^\circ)$
- 176) Express $\sin 5x + \sin 7x$ as a product.
- 177) Find the periods of the functions: $\tan 4x$
- 178) Find the periods of the functions: $\sin \frac{x}{5}$
- 179) Solve the right triangle ABC, in which $\gamma = 90^{\circ}$ a = 3.28, b = 5.74
- 180) At the top of a cliff 80 m high, the angle of depression of a boat is 12°. How far is the boat from
- 181) the cliff?
- 182) When the angle between the ground and the sun is 30° , flag pole casts a shadow of 40 m long. Find the height of the flag.
- 183) Solve the triangle ABC in which: $a = \sqrt{3} 1$, $b = \sqrt{3} + 1$ and $\gamma = 60^{\circ}$
- 184) Solve the triangle ABC in which: a=7, b=3 and $\gamma=38^{\circ}13'$
- 185) Prove that: $\frac{\sin A + \sin 2A}{1 + \cos A + \cos 2A} = \tan A$
- 186) Find the periods of the functions: $\cos 2x$
- 187) Solve the triangles, in which: a = 32, b = 40, c = 66
- 188) Find the smallest angle of the triangle ABC, When a=37.34, b=3.24, c=35.06
- 189) Find the area of the triangle ABC, given two sides and their included angle: $b=37, c=45, \alpha=30^{\circ}50'$
- 190) Show that: $r_2 = 4R\cos\frac{\alpha}{2}\sin\frac{\beta}{2}\cos\frac{\gamma}{2}$
- 191) Prove that: $rr_1r_2r_3 = \Delta^2$
- 192) Find R, r, r₁, r₂ and r₃, if measures of the
- 193) sides of triangle ABC are a=34, b=20, c=42
- 194) Prove that in an equilateral triangle. r: R: r_1 : r_2 : r_3 = 1: 2: 3: 3: 3
- 195) Prove that: $(r_1 + r_2) \tan \frac{\gamma}{2} = c$.
- 196) Evaluate without using tables / calculator: $\cos^{-1}\left(\frac{\sqrt{3}}{2}\right)$

Al-Qadir Jinnah Science Academy Mallian Kalan

- 197) Without using table / Calculator show that: $2\cos^{-1}\frac{4}{5} = \sin^{-1}\frac{24}{25}$
- 198) Find the area of the triangle ABC, given one side and two angles: b=25.4, $\gamma=36^{\circ}41'$, $\alpha=45^{\circ}17'$
- 199) Find the area of the triangle ABC, given three sides: $a=18,\ b=24$, c=30
- 200) Show that: $r_3 = 4R\cos\frac{\alpha}{2}\cos\frac{\beta}{2}\sin\frac{\gamma}{2}$
- 201) Prove that: $r_1 r_2 r_3 = r s^2$
- 202) Prove that in an equilateral triangle. r: R: $r_1 = 1:2:3$
- 203) Prove that: $abc(\sin \alpha + \sin \beta + \sin \gamma) = 4\Delta s$
- 204) Prove that: $(r_3 r)\cot\frac{\gamma}{2} = c$.
- 205) Without using table / Calculator show that: $\tan^{-1} \frac{5}{12} = \sin^{-1} \frac{5}{13}$
- 206) Find the value of each expression: $\sin\left(\sin^{-1}\left(\frac{1}{2}\right)\right)$
- 207) Show that: $\sin(2\cos^{-1}x) = 2x\sqrt{1-x^2}$
- 208) Show that: $\cos^{-1}(-x) = \pi \cos^{-1}x$
- 209) Solve the trigonometric equations: $\sec^2 \theta = \frac{4}{3}$
- 210) Find the values of θ satisfying the equations: $3\tan^2\theta + 2\sqrt{3}\tan\theta + 1 = 0$
- 211) Solve: $\sin x + \cos x = 0$
- 212) Prove that $\sec^2 A + \csc^2 A = \sec^2 A \csc^2 A$
- 213) Show that: $\sin^{-1}(-x) = -\sin^{-1}x$
- 214) Show that: $tan(sin^{-1} x) = \frac{x}{\sqrt{1-x^2}}$
- 215) Show that $\cos^{-1} \frac{12}{13} = \sin^{-1} \frac{5}{13}$
- 216) Prove that $(\sec \theta \tan \theta)^2 = \frac{1-\sin \theta}{1+\sin \theta}$
- 217) Prove that : $R = \frac{abc}{4\Delta}$

LONG Q.NO. 5

- 1) Reversal law of inverse if a ,b are elements of group G , then show that $(ab)^{-1} = b^{-1} a^{-1}$
- 2) If G is a group under the operation x and x and y are y and y and y are y are y and y are y are y and y are y are y and y are y are y and y are y are y and y are y are y are y and y are y and y are y are y and y are y and y are y are y and y are y are y and y are y and y are y are y and y are y are y and y are y and y are y are y and y are y are y are y are y are y and y are y and y are y ar
- 3) Show that the set $\{1, \omega, \omega^2\}$, when $\omega^3 = 1$, is an Abelian group w.r.t. ordinary multiplication.
- 4) Show that $\begin{vmatrix} a+l & a & a \\ a & a+l & a \\ a & a & a+l \end{vmatrix} = l^2(3a+l)$

$$3x_1 + x_2 - x_3 = -4$$

- 5) Use Crammer's rule to solve the system. $x_1 + x_2 2x_3 = -4$ $-x_1 + 2x_2 - x_3 = 1$
- 6) Show that $\begin{vmatrix} a+\lambda & b & c \\ a & b+\lambda & c \\ a & c & c+\lambda \end{vmatrix} = \lambda^2 (\mathbf{a} + \mathbf{b} + \mathbf{c})$
- 7) Solve the equation by Cramer's rule. $\begin{cases} 2x_1 + 2x_2 + x_3 = 8 \\ x_1 + 2x_2 + 2x_3 = 6 \\ x_1 2x_2 x_3 = 1 \end{cases}$
- 8) Find the value of λ for the system of non-trivial solution . Also solve the system for the value of λ

$$\begin{cases} x_1 + 4x_2 + \lambda x_3 = 0 \\ 2x_1 + x_2 - 3x_3 = 0 \\ 3x_1 + \lambda x_2 - 4x_3 = 0 \end{cases}$$

Al-Qadir Jinnah Science Academy Mallian Kalan

- $(2x_1 + 2x_2 + x_3 = 8)$ 9) Solve the system of linear equation by Cramer's rule $\{x_1 + 2x_2 + 2x_3 = 6\}$ $\frac{(x_1 - 2x_2 - x_3 = 1)}{2x_1 + x_2 + 3x_3 = 3}$
- 10) Use matrices to solve the system \cdot $\begin{cases} x_1 + x_2 2x_3 = 0 \end{cases}$ $-3x_1 - x_2 + 2x_3 = -4$

LONG O.NO. 6

- 11) Solve the equation (x + 1)(2x + 3)(2x + 5)(x + 3) = 945
- 12) Solve the equation $4.2^{2\alpha+1} 9.2^{x} + 1 = 0$
- 13) Solve the equation $3^{2x-1} 12.3^x + 81 = 0$
- 14) Solve the equation $(x + \frac{1}{x})^2 3(x + \frac{1}{x}) 4 = 0$
- 15) Solve the equation: $(x + 4)(x + 1) = \sqrt{x^2 + 2x 15} + 3x + 31$
- 16) Prove that complex cube roots of -1 are $\frac{1+\sqrt{3}i}{2}$ and $\frac{1-\sqrt{3}i}{2}$; and hence prove that $\left(\frac{1+\sqrt{-3}i}{2}\right)^9+\left(\frac{1-\sqrt{-3}}{2}\right)^9=$
- 17) If the roots of $px^2 + qx + q = 0$ are α and \betathen prove that $\sqrt{\frac{\alpha}{\beta}} + \sqrt{\frac{\beta}{\alpha}} + \sqrt{\frac{q}{p}} = 0$ Show that the roots of $x^2 + (mx + c)^2 = a^2$ will be equal, if $c^2 = a^c(1 + m^2)$ xoix) Prove that $\frac{x^2}{a^2} + \frac{(mx + c)^2}{b^2} = 1$ will have equal roots, if $c^2 = a^2m^2 + b^2$; $a \neq 0$, $b \neq 0$

- 18) Resolve the Partial Fraction: $\frac{x-1}{(x-2)(x+1)^3}$ 19) Resolve the Partial Fraction: $\frac{2x+1}{(x+3)(x-1)(x+2)^2}$ 20) Resolve the Partial Fraction: $\frac{9x-7}{(x^2+1)(x+3)}$
- 21) xlv) Resolve the Partial Fraction: $\frac{x^2+1}{x^3+1}$
- 22) xlvi) Resolve the Partial Fraction: $\frac{1}{(x-1)^2(x^2+2)}$
- 23) Resolve, $\frac{1}{(x+1)^2(x^2-1)}$ into Partial Fractions.
- 24) Resolve, $\frac{4x^2}{(x^2+1)^2(x-1)}$ into Partial Fractions.

LONG Q.NO. 7

- 25) Find n so that $\frac{a^n+b^n}{a^{n-1}+b^{n-1}}$ may be the A.M. between a and b.
- 26) The sum of three numbers in an A.P. is 24 and their product is 440. Find the numbers.
- 27) Find four numbers in A.P. whose sum is 32 and the sum of whose squares is 276.
- 28) Find the five numbers in A.P. whose sum is 25 and the sum of whose squares is 135.
- 29) If $\frac{1}{a}$, $\frac{1}{b}$ and $\frac{1}{c}$ are in G.P. show that the common ratio is $\pm \sqrt{\frac{a}{c}}$
- 30) If there consecutive numbers in A.P. are increased by1,4,15 respectively, the resulting numbers are in G.P.
- 31) Find the original numbers if their sum is 6.
- 32) Sum the series $2 + (1-i) + \left(\frac{1}{i}\right) + \cdots$ to 8 terms.

- Guess Paper MATH inter –I

 Al-Qadir Jinnah Science Academy Mallian Kalan

 33) If $y = \frac{x}{2} + \frac{1}{4}x^2 + \frac{1}{8}x^3 + \cdots$ and if 0 < x < 2, then prove that $x = \frac{2y}{1+y}$
- 34) If $y = \frac{2}{3}x + \frac{4}{9}x^2 + \frac{8}{27}x^3 + \cdots$ and if $0 < x < -\frac{3}{2}$ then show that $x = \frac{3y}{2(1+y)}$
- 35) If the numbers $\frac{1}{k}$, $\frac{1}{2k+1}$ and $\frac{1}{4k-1}$ are in harmonic sequence, find k.
- 36) Find n so that $\frac{a^{n+1}+b^{n+1}}{a^n+b^n}$ may be H.M. between a and b
- 37) If the H.M and A.M between two numbers are 4 and $\frac{9}{2}$ respectively, find the numbers.
- 38) If the positive G.M. and H.M. between two numbers are 4 and $\frac{16}{r}$
- 39) Use mathematical induction to prove the formula for every positive integer n. $1+4+7+\cdots+(3n-1)$
- 40) Find the term involving x^4 in the expansion of $(3-2x)^7$
- 41) Find the coefficient of x^5 in the expansion of $\left(x^2 \frac{3}{2x}\right)^{10}$
- 42) Find the term independent of x in the expansion: $\left(x-\frac{2}{x}\right)^{10}$ xaxiv) Determine the middle term or terms in the expansions: $\left(\frac{1}{x} - \frac{x^2}{2}\right)^{12}$ xoxy) Determine the middle term or terms in the expansions: $\left(\frac{3}{2}x - \frac{1}{3x}\right)^{11}$
- 43) Find the coefficient of x^n in the expansion. $\frac{(1+x)^2}{(1-x)^2}$
- 44) Identify the series $1 \frac{1}{2} \left(\frac{1}{4}\right) + \frac{1.3}{2!4} \left(\frac{1}{4}\right)^2 \frac{1.3.5}{3!8} \left(\frac{1}{4}\right)^3 + \cdots$ as binomial expansion and find its sum.
- 45) Identify the series $1 \frac{1}{2} \left(\frac{1}{2}\right) + \frac{1.3}{2.4} \left(\frac{1}{2}\right)^2 \frac{1.3.5}{2.4.6} \left(\frac{1}{2}\right)^3 + \cdots$ as binomial expansion and find its sum.

 46) If $y = \frac{1}{3} + \frac{1.3}{2!} \left(\frac{1}{3}\right)^2 + \frac{1.3.5}{3!} \left(\frac{1}{3}\right)^3 + \cdots$, Prove that $y^2 + 2y 2 = 0$ 47) If $2y = \frac{1}{2^2} + \frac{1.3}{2!} \cdot \frac{1}{2^4} + \frac{1.3.5}{3!} \cdot \frac{1}{2^6} + \cdots$ prove that $4y^2 + 4y 1 = 0$

LONG O.NO. 8

- 48) Find the values of the remaining trigonometric functions: $\cos \theta = \frac{9}{41}$ and the terminal arm of the angle is in quad. IV.
- 49) If $\csc\theta = \frac{m^2+1}{2m}$ and m>0 $\left(0<\theta<\frac{\pi}{2}\right)$, find the value of the remaining trigonometric ratios.
- 50) If $\cot \theta = \frac{5}{2}$ and the terminal arm of the angle is in the I quad., find the value of $\frac{3\sin \theta + 4\cos \theta}{\cos \theta \sin \theta}$
- 51) Prove the following identities, state the domain of θ in each case:
- 52) $\sin^3 \theta \cos^3 \theta = (\sin \theta \cos \theta)(1 + \sin \theta \cos \theta)$
- 53) Prove the following identities, state the domain of θ in each case:
- 54) $\sin^6 \theta \cos^6 \theta = (\sin^2 \theta \cos^2 \theta)(1 + \sin^2 \theta \cos^2 \theta)$
- 56) Show that $\cos(\alpha + B) + \sin(\alpha \beta) = \cos^2 \alpha \sin^2 \beta = \cos^2 \beta \sin^2 \alpha$
- 57) Find $\sin(\alpha + \beta)$ and $\cos(\alpha + \beta)$, given that: $\tan \alpha = \frac{3}{4}$, $\cos \beta = \frac{5}{13}$ and neither the terminal side of the angle of measure α nor that of β is in the I quadrant.
- 58) Prove the identities: $\sqrt{\frac{1+\sin\alpha}{1-\sin\alpha}} = \frac{\sin\frac{\alpha}{2}+\cos\frac{\alpha}{2}}{\sin\frac{\alpha}{2}-\cos\frac{\alpha}{2}}$

Al-Qadir Jinnah Science Academy Mallian Kalan

- 59) Prove the identities: $\frac{\cos 3\theta}{\cos \theta} + \frac{\sin 3\theta}{\sin \theta} = 4\cos 2\theta$
- 60) Prove the identities: $\frac{\sin 8x + \sin 2x}{\cos 8x + \cos 2x} = \tan 5x$
- 61) Prove the identities: $\frac{\sin \alpha \sin \beta}{\sin \alpha + \sin \beta} = \tan \frac{\alpha \beta}{2} \cot \frac{\alpha + \beta}{2}$

LONG Q.NO. 9

- 62) Solve the right triangle ABC, in which $\gamma = 90^{\circ} b = 68.4$, c = 96.2
- 63) Solve the triangle ABC, if $\beta = 60^{\circ}$, $\gamma = 15^{\circ}$, $b = \sqrt{6}$
- 64) Solve the triangle ABC in which: b = 95, c = 34 and $\alpha = 52^{\circ}$
- 65) Solve the triangles, using first Law of tangents and then Law of sines: b=14.8, c=16.1 and $\alpha=42^{\circ}45'$
- 66) Solve the triangles, using first Law of tangents and then Law of sines: b=61, a=32 and $\alpha=59^{\circ}30$
- 67) The sides of a triangle are $x^2 + x + 1,2x + 1$ and $x^2 1$. Prove that the greatest angle of the triangle is 120° x) Show that: i) $r = 4R\sin\frac{\alpha}{2}\sin\frac{\beta}{2}\sin\frac{\gamma}{2}$ ii) $s = 4R\cos\frac{\alpha}{2}\cos\frac{\beta}{2}\cos\frac{\gamma}{2}$
- 68) Find R, r, r_1, r_2 and r_3 , if measures of the sides of triangle ABC are $\alpha = 13$, b = 14, c = 15
- 69) Prove that: $\tan^{-1}\frac{1}{4} + \tan^{-1}\frac{1}{5} = \tan^{-1}\frac{9}{19}$
- 70) Prove that: $3\tan^{-1}\frac{2}{3} = \sin^{-1}\frac{12}{13}$
- 71) Prove that: $\sin^{-1}\frac{3}{5} + \sin^{-1}\frac{8}{17} = \sin^{-1}\frac{77}{85}$
- 72) Prove that: $\tan^{-1}\frac{1}{11} + \tan^{-1}\frac{5}{6} = \tan^{-1}\frac{1}{3} + \tan^{-1}\frac{1}{2}$
- 73) Prove that: $2\tan^{-1}\frac{1}{3} + \tan^{-1}\frac{1}{7} = \frac{\pi}{4}$
- 74) Prove that : $\frac{1}{r^2} + \frac{1}{r_1^2} + \frac{1}{r_2^2} + \frac{1}{r_3^2} = \frac{a^2 + b^2 + c^2}{\Delta^2}$